

Customer:

**Customer Source IP Address**

**Location A: x.x.x.x /28**

**Location B: x.x.x.x /28**

**Customer Responsibility**

Customer Location A

Location: \_\_\_\_\_  
Hostname: \_\_\_\_\_  
IP: \_\_\_\_\_  
TCP-Ports: \_\_\_\_\_

1st Carrier / MCI  
Shelf: \_\_\_\_\_ Port: \_\_\_\_\_  
Link: \_\_\_\_\_  
Interface: \_\_\_\_\_  
Speed: \_\_\_\_\_

**SWX Responsibility**

Location: SWX Swiss Exchange  
Selnastrasse 30:  
CH-8021 Zürich  
Room/Rack: RZ03 B05  
Router-Typ: \_\_\_\_\_  
WAN-IF / Speed: \_\_\_\_\_  
Eth-IF / Speed: \_\_\_\_\_  
IP-Adresse: \_\_\_\_\_

1st Carrier / Swisscom  
\_\_\_\_\_  
 (Zürich Füssli (ADM1))  
 (Zürich Aussersihl (ADM4))  
Interface: G703; RJ45  
Speed: =< 4 Mbit  
Ethernet Link also possible

2nd Carrier / Swisscom  
\_\_\_\_\_  
 (Zürich Herdern (ADM1))  
 (Zürich Limmat (ADM4))  
Interface: G703; RJ45  
Speed: =< 4 Mbit  
Ethernet Link also possible

**Customer Responsibility**

Customer Location B



Location: \_\_\_\_\_  
Hostname: \_\_\_\_\_  
IP: \_\_\_\_\_  
TCP-Ports: \_\_\_\_\_

2nd Carrier COLT  
Shelf: \_\_\_\_\_ Port: \_\_\_\_\_  
Link: \_\_\_\_\_  
Interface: \_\_\_\_\_  
Speed: \_\_\_\_\_

**SWX Responsibility**

Location: SWX Swiss Exchange  
Hardturmstrasse 201:  
CH-8005 Zürich  
Room/Rack: C526 A03  
Router-Typ: \_\_\_\_\_  
WAN-IF / Speed: \_\_\_\_\_  
Eth-IF / Speed: \_\_\_\_\_  
IP-Adresse: \_\_\_\_\_

**DMZ VLAN # 8xx**  
ip: x.x.x.x /28



Target Address Production (NAT)

**SMF – Production**  
IP: x.x.x.x / TCP: xy

**QMF – Production**  
IP: x.x.x.x / TCP: xy

Target Address Test (NAT)

**SMF – Test**  
IP: x.x.x.x / TCP: xy

**QMF – Test**  
IP: x.x.x.x / TCP: xy

